## North Carolina Extended Common Core State Standards Mathematics 6-8

The Alternate Achievement Standards for Students With the Most Significant Cognitive Disabilities Non-Regulatory Guidance states, "...materials should show a clear link to the content standards for the grade in which the student is enrolled, although the grade-level content may be reduced in complexity or modified to reflect pre-requisite skills." Throughout the Standards descriptors such as, describe, count, identify, etc, should be interpreted to mean that the students will be taught and tested according to their mode of communication.

	6 <sup>th</sup> Grade Mathematics Ratios and Proportional Relationships								
	Common Core State Standards	Essence	Extended Common Core						
	<ol> <li>Lerstand ratio concepts and use ratio reasoning to reproblems.</li> <li>Understand the concept of a ratio and use ratio language to describe a ratio relationship between two quantities. For example, "The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak." "For every vote candidate A received, candidate C received nearly three votes."</li> <li>Understand the concept of a unit rate a/b associated with a ratio a:b with b ≠ 0, and use rate language in the context of a ratio relationship. For example, "This recipe has a ratio of 3 cups of flour to 4 cups of sugar, so there is 3/4 cup of flour for each cup of sugar." "We paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger."</li> <li>Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.</li> <li>Make tables of equivalent ratios relating quantities with whole number measurements, find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios.</li> <li>Solve unit rate problems including those involving unit pricing and constant speed. For example, if it took 7 hours to mow 4 lawns, then at that rate, how many lawns could be mowed in 35 hours? At what rate were lawns being mowed?</li> <li>Find a percent of a quantity as a rate per 100 (e.g., 30% of a quantity means 30/100 times the quantity); solve problems</li> </ol>	Understand ratios	Understand ratio concepts  1. Compare part-part and part-whole relationships (i.e. how many pieces of fruit? How many are apples how many are oranges?).  2. Write ratios to represent relationships between two quantities.						
Cluster	<ul> <li>a:b with b≠0, and use rate language in the context of a ratio relationship. For example, "This recipe has a ratio of 3 cups of flour to 4 cups of sugar, so there is 3/4 cup of flour for each cup of sugar." "We paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger."</li> <li>3. Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.</li> <li>a. Make tables of equivalent ratios relating quantities with whole number measurements, find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios.</li> <li>b. Solve unit rate problems including those involving unit pricing and constant speed. For example, if it took 7 hours to mow 4 lawns, then at that rate, how many lawns could be mowed in 35 hours? At what rate were lawns being mowed?</li> <li>c. Find a percent of a quantity as a rate per 100 (e.g., 30% of a</li> </ul>								

	6 <sup>th</sup> Grade Mathematics The Number System						
	Common Core State Standards	Essence	Extended Common Core				
mul	ly and extend previous understandings of tiplication and division to divide fractions by	Understand fractions	Extend previous understandings of fractions.				
frac	tions.						
Cluster	1. Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. For example, create a story context for (2/3) ÷ (3/4) and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that (2/3) ÷ (3/4) = 8/9 because 3/4 of 8/9 is 2/3. (In general, (a/b) ÷ (c/d) = ad/bc). How much chocolate will each person get if 3 people share 1/2 lb of chocolate equally? How many 3/4-cup servings are in 2/3 of a cup of yogurt? How wide is a rectangular strip of land with length 3/4 mi and area 1/2 square mi?		<ol> <li>Compare the relationships between the unit fractions (1/2, 1/3, ¼, 1/5, 1/6, 1/8,1/10).</li> <li>Add fractions with like denominators to make a whole (halves, thirds, fourths, fifths, sixths, eighths, and tenths).</li> </ol>				
	npute fluently with multi-digit numbers and find mon factors and multiples.	Understand multiplication	Multiply with numbers 0-10.				
	<ol> <li>Fluently divide multi-digit numbers using the standard algorithm.</li> <li>Fluently add, subtract, multiply, and divide multidigit decimals using the standard algorithm for each operation.</li> <li>Find the greatest common factor of two whole numbers less than or equal to 100 and the least common multiple of two whole numbers less than or equal to 12. Use the distributive property to express a sum of two whole numbers 1–100 with a common factor as a multiple of a sum of two whole numbers with no common factor. For example, express 36 + 8 as 4 (9 + 2).</li> </ol>	•	3. Solve multiplication problems when groups and size of groups is known but the whole is unknown (a x b = □).				

NC Extended CCSS Final 2 9/9/2011

	the system of rational numbers.		Extend Number knowledge	Apply and extend previous understandings of numbers to the system of rational numbers.	
Cluster	<ul><li>5.</li><li>6.</li><li>7.</li></ul>	Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/debits, positive/negative electric charge); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation. Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.  a. Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line; recognize that the opposite of the opposite of a number is the number itself, e.g., -(-3) = 3, and that 0 is its own opposite.  b. Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections across one or both axes.  c. Find and position integers and other rational numbers on a horizontal or vertical number line diagram; find and position pairs of integers and other rational numbers on a coordinate plane.  Understand ordering and absolute value of rational numbers.  a. Interpret statements of inequality as statements about the relative position of two numbers on a number line diagram. For example, interpret -3 > -7 as a statement that -3 is located to the right of -7 on a number line oriented from left to right.			<ol> <li>Understand that the order of the digits determines the given number and use this understanding to compare sets and numbers (i.e., 24 and 42, 24 is less than 42 because it contains 2 tens and 42 contains 4 tens).</li> <li>Compare temperatures including negatives (use a non-digital thermometer).</li> </ol>

NC Extended CCSS Final 3 9/9/2011

	_			
	l	b. Write, interpret, and explain statements of		
		order for rational numbers in real-world		
		contexts. For example, write -3 oC > -7 oC to		
		express the fact that –3 oC is warmer than –7		
		· · · · · · · · · · · · · · · · · · ·		
		oC.		
		c. Understand the absolute value of a rational		
		number as its distance from 0 on the number		
		line; interpret absolute value as magnitude for		
		a positive or negative quantity in a real-world		
		situation. For example, for an account balance		
<b>a</b>		of –30 dollars, write $ -30  = 30$ to describe the		
Cluster		size of the debt in dollars.	Cluster	
l II		d. Distinguish comparisons of absolute value	<b>n</b>	
		from statements about order. For example,		
		recognize that an account balance less than –30		
		dollars represents a debt greater than 30		
		dollars.		
	8.	Solve real-world and mathematical problems by		
		graphing points in all four quadrants of the		
		coordinate plane. Include use of coordinates and		
		absolute value to find distances between points		
		with the same first coordinate or the same second		
		coordinate.		

	6 <sup>th</sup> Grade Mathematics Expressions and Equations						
Common Core State Standards		Essence	Extended Common Core				
	Apply and extend previous understandings of arithmetic to algebraic expressions.		Addition and subtraction of	Apply and extend previous understandings of arithmetic to algebraic expressions.			
Cluster	1. Write and evaluate numerical expressions in number exponents.  2. Write, read, and evaluate expressions in who numbers.  a. Write expressions that record oper and with letters standing for numbers.  b. Identify parts of an expression usin terms (sum, term, product, factor, oview one or more parts of an expreentity. For example, describe the exproduct of two factors; view (8 + 7) and a sum of two terms.  c. Evaluate expressions at specific val variables. Include expressions that	ations with numbers ers. For example, from 5" as 5 – y. g mathematical quotient, coefficient); ssion as a single entity uses of their arise from formulas rm arithmetic and whole number er when there are no order (Order of the transport of transport of the transport of tr	algebraic expressions	1. Write, read, and evaluate addition and subtraction expressions in which letters stand for numbers; i.e., 2 numbers with one number being represented by one letter (fixed variable 7+X=9 where x can only be one number)).			

NC Extended CCSS Final 5 9/9/2011

	6 <sup>th</sup> Grade Mathematics Geometry						
	Common Core State Standards		Essence	Extended Common Core			
		al-world and mathematical problems involving rface area, and volume.	Area and perimeter of	Solve real-world and mathematical problems involving area, and perimeter.			
Cluster	2.	Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving real-world and mathematical problems. Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas $V = l w h$ and $V = b h$ to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems. Draw polygons in the coordinate plane given	rectangles	1. Determine the perimeter of rectangular figures. 2. Partition rectangular figures into rows and columns of same-size squares without gaps and overlaps and count them to find the area.			
	4.	coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate.  Apply these techniques in the context of solving real-world and mathematical problems.  Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.					

	6 <sup>th</sup> Grade Mathematics Statistics and Probability						
		Common Core State Standards	Essence	Extended Common Core			
De	evelop	understanding of statistical variability.	Create a	Develop understanding of statistical variability.			
Cluster	2. 3.	Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for it in the answers. For example, "How old am I?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages.  Understand that a set of data collected to answer a statistical question has a distribution which can be described by its center, spread, and overall shape. Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.	statistical question	1. Develop and implement a survey to collect data.			

NC Extended CCSS Final 7 9/9/2011

Sur	Summarize and describe distributions.		Summarize distributions	Summarize distributions on picture graphs, line plots, and bar graphs.
Cluster	<ul><li>4.</li><li>5.</li><li>6.</li></ul>	Display numerical data in plots on a number line, including dot plots, histograms, and box plots.  Summarize numerical data sets in relation to their context, such as by:  a. Reporting the number of observations.  b. Describing the nature of the attribute under investigation, including how it was measured and its units of measurement.  c. Giving quantitative measures of center (median and/or mean) and variability (interquartile range and/or mean absolute deviation), as well as describing any overall pattern and any striking deviations from the overall pattern with reference to the context in which the data were gathered.  Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered.		2. Display numerical data. 3. Summarize numerical data sets in relation to their context by reporting the number of observations.

NC Extended CCSS Final 8 9/9/2011

	7 <sup>th</sup> Grade Mathematics Ratios and Proportional Relationships						
		Co	mmon Core State Standards	Essence	Extended Common Core		
			ortional relationships and use them to solve d mathematical problems.	Equivalent ratios	Understand ratio concepts and use ratio reasoning to solve problems.		
Cheter		inclumea pers unit hour hour 2. Reccubetva.  b. c.  d.  3. Use ratio tax, com	inpute unit rates associated with ratios of fractions, auding ratios of lengths, areas and other quantities assured in like or different units. For example, if a son walks 1/2 mile in each 1/4 hour, compute the strate as the complex fraction 1/2/1/4 miles per r, equivalently 2 miles per hour.  Ognize and represent proportional relationships ween quantities.  Decide whether two quantities are in a proportional relationship, e.g., by testing for equivalent ratios in a table or graphing on a coordinate plane and observing whether the graph is a straight line through the origin.  Identify the constant of proportionality (unit rate) in tables, graphs, equations, diagrams, and verbal descriptions of proportional relationships.  Represent proportional relationships by equations. For example, if total cost t is proportional to the number n of items purchased at a constant price p, the relationship between the total cost and the number of items can be expressed as t = pn.  Explain what a point (x, y) on the graph of a proportional relationship means in terms of the situation, with special attention to the points (0, 0) and (1, r) where r is the unit rate.  proportional relationships to solve multistep of and percent problems. Examples: simple interest, markups and markdowns, gratuities and temissions, fees, percent increase and decrease, tent error.		1. Model equivalent ratios (i.e., 2:1 two reds and 1 blue; If I put down to more red blocks how many blue blocks should be added?).		

	7 <sup>th</sup> Grade Mathematics The Number System							
	Common Core State Standards	Essence	Extended Common Core					
wit	ply and extend previous understandings of operations th fractions to add, subtract, multiply, and divide ional numbers.	Operations with fractions and whole numbers	Apply and extend previous understandings of operations with fractions and whole numbers.					
Cluster	<ol> <li>Apply and extend previous understandings of addition and subtraction to add and subtract rational numbers; represent addition and subtraction on a horizontal or vertical number line diagram.         <ol> <li>Describe situations in which opposite quantities combine to make 0. For example, a hydrogen atom has 0 charge because its two constituents are oppositely charged.</li> <li>Understand p + q as the number located a distance  q  from p, in the positive or negative direction depending on whether q is positive or negative. Show that a number and its opposite have a sum of 0 (are additive inverses). Interpret sums of rational numbers by describing real-world contexts.</li> <li>Understand subtraction of rational numbers as adding the additive inverse, p - q = p + (-q). Show that the distance between two rational numbers on the number line is the absolute value of their difference, and apply this principle in real-world contexts.</li> <li>Apply properties of operations as strategies to add and subtract rational numbers.</li> </ol> </li> </ol>	whole numbers	1. Subtract fractions with like denominators (halves, thirds, fourths, fifths, sixths, eighths, and tenths) by modeling with fraction bars.  2. Use all operations to solve problems with whole numbers (0-100).					

	-			
	2.	rr y		
		multiplication and division and of fractions to		
		multiply and divide rational numbers.		
		a. Understand that multiplication is extended		
		from fractions to rational numbers by		
		requiring that operations continue to satisfy		
		the properties of operations, particularly the		
		distributive property, leading to products		
		such as $(-1)(-1) = 1$ and the rules for		
		multiplying signed numbers. Interpret		
		products of rational numbers by describing		
		real-world contexts.		
e L		b. Understand that integers can be divided,	i.	
Cluster		provided that the divisor is not zero, and	Cluster	
		every quotient of integers (with non-zero		
		divisor) is a rational number. If $p$ and $q$ are		
		integers, then $-(p/q) = (-p)/q = p/(-q)$ .		
		Interpret quotients of rational numbers by		
		describing real-world contexts.		
		c. Apply properties of operations as strategies		
		to multiply and divide rational numbers.		
		d. Convert a rational number to a decimal using		
		long division; know that the decimal form of		
		a rational number terminates in 0s or		
		eventually repeats.		
	3.	7 2		
	] .	involving the four operations with rational		
		numbers.		
		numbers.		

	7 <sup>th</sup> Grade Mathematics Expressions and Equations							
Common Core State Standards			Common Core State Standards	Essence	Extended Common Core		Extended Common Core	
Use properties of operations to generate equivalent				Properties of		Use properties of operations to generate equivalent		
expressions.		operations	expressions.		sions.			
Cluster	2	<ol> <li>2.</li> </ol>	Apply properties of operations as strategies to add, subtract, factor, and expand linear expressions with rational coefficients.  Understand that rewriting an expression in different forms in a problem context can shed light on the problem and how the quantities in it are related. For example, $a + 0.05a = 1.05a$ means that "increase by 5%" is the same as "multiply by 1.05."		Cluster	<ol> <li>2.</li> <li>3.</li> </ol>	Understand that adding zero to a number leaves it unchanged. Use concrete objects and representations to illustrate addition of 3 or more numbers, regardless of which pair is added first, equal the cardinal number (associative). Use concrete objects and representations to illustrate multiplication of 2 numbers regardless of order equal the cardinal number (commutative).	

Sol	ve real-life and mathematical problems using	Equality	Solve real-life and mathematical addition and subtraction
nur	nerical and algebraic expressions and equations.		problems using numerical and algebraic equations.
			4. Understand the concept of equality with models (i.e., if there is a quantity of 5 on one side of the equation and a quantity of 2 on the other what quantity is added to make it equal).  5. Use the concept of equality to solve problems with unknown quantities.
	sequence of the operations used in each approach. For example, the perimeter of a rectangle is 54 cm. Its length is 6 cm. What is its width?  b. Solve word problems leading to inequalities of the form px + q > r or px + q < r, where p, q, and r are specific rational numbers. Graph the solution set of the inequality and interpret it in the context of the problem. For example: As a salesperson, you are paid \$50 per week plus \$3 per sale. This week you want your pay to be at least \$100. Write an inequality for the number of sales you need to make, and describe the solutions.		

NC Extended CCSS Final 13 9/9/2011

	7 <sup>th</sup> Grade Mathematics Geometry						
			Common Core State Standards	Essence			Extended Common Core
			al-life and mathematical problems involving easure, area, surface area, and volume.	Area of rectangles	Sol	ve r	eal-life and mathematical problems involving area.
200	Ciuster	<ol> <li>2.</li> <li>3.</li> </ol>	Know the formulas for the area and circumference of a circle and use them to solve problems; give an informal derivation of the relationship between the circumference and area of a circle.  Use facts about supplementary, complementary, vertical, and adjacent angles in a multi-step problem to write and solve simple equations for an unknown angle in a figure.  Solve real-world and mathematical problems involving area, volume and surface area of two-and three-dimensional objects composed of triangles, quadrilaterals, polygons, cubes, and right prisms.		Cluster	1.	Use rectangles and multiplication to solve area problems.

	7 <sup>th</sup> Grade Mathematics Statistics and Probability						
	Common Core State Standards	Essence	Extended Common Core				
	re random sampling to draw inferences about a opulation.	Random Sampling	Use random sampling to draw inferences about a population.				
Cluster	<ol> <li>Understand that statistics can be used to gain information about a population by examining a sample of the population; generalizations about a population from a sample are valid only if the sample is representative of that population.         Understand that random sampling tends to produce representative samples and support valid inferences.</li> <li>Use data from a random sample to draw inferences about a population with an unknown characteristic of interest. Generate multiple samples (or simulated samples) of the same size to gauge the variation in estimates or predictions. For example, estimate the mean word length in a book by randomly sampling words from the book; predict the winner of a school election based on randomly sampled survey data. Gauge how far off the estimate or prediction might be.</li> </ol>		1. Identify a representative random sample (i.e., would not select only the people who ride buses) 2. Use samples to gain information about a population. 3. Interpret the results of the sampling.				

NC Extended CCSS Final 15 9/9/2011

Draw informal comparative inferences about two populations.	Compare date	Draw informal comparative inferences about two populations.
3. Informally assess the degree of visual overlap of two numerical data distributions with similar variabilities, measuring the difference between the centers by expressing it as a multiple of a measure of variability. For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.  4. Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.		4. Compare data from two picture graphs, line plots, or bar graphs.

Inv	esti	gate chance processes and develop, use, and	Likelihood of	Invest	tigate chance processes and develop, use, and evaluate
eva	luat	te probability models.	events		bility models.
	5.	Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.		5.	Understand the events of probability as being possible or impossible.
Cluster	7.	Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times.  Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.  a. Develop a uniform probability model by assigning equal probability to all outcomes, and use the model to determine probabilities of events. For example, if a student is selected at random from a class, find the probability that Jane will be selected and the probability that a girl will be selected.  b. Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process. For example, find the approximate probability that a spinning penny will land heads up or that a tossed paper cup will land open-end down. Do the outcomes for the spinning penny appear to be equally likely based on the observed frequencies?		Cluster	

NC Extended CCSS Final 17 9/9/2011

ter	8.	organized lists, tables, tree diagrams, and simulation.  a. Understand that, just as with simple events, the probability of a compound event is the fraction of outcomes in the sample space for which the compound event occurs.  b. Represent sample spaces for compound events using methods such as organized lists, tables and tree diagrams. For an event described in everyday language (e.g., "rolling")	ter	
Cluster	9.	b. Represent sample spaces for compound events using methods such as organized lists, tables and tree diagrams. For an event	Cluster	Cuuster

	8 <sup>th</sup> Grade Mathematics Expressions and Equations						
		Common Core State Standards	Essence	<b>Extended Common Core</b>			
Understand the connections between proportional relationships, lines, and linear equations.			Proportional relationships	Understand the connections between proportional relationships, lines, and linear equations.			
Cluster	Falsara	<ol> <li>Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways. For example, compare a distancetime graph to a distance-time equation to determine which of two moving objects has greater speed.</li> <li>Use similar triangles to explain why the slope m is the same between any two distinct points on a nonvertical line in the coordinate plane; derive the equation y = mx for a line through the origin and the equation y = mx + b for a line intercepting the vertical axis at b.</li> </ol>		1. Make equivalent ratios given the unit rate. 2. Graph equivalent ratios in the first quadrant.			

	alyze and solve linear equations and pairs of	Solve equations	Analyze and solve linear equations and pairs of
sim	ultaneous linear equations.		simultaneous linear equations.
Cluster	<ul> <li>3. Solve linear equations in one variable. <ul> <li>a. Give examples of linear equations in one variable with one solution, infinitely many solutions, or no solutions. Show which of these possibilities is the case by successively transforming the given equation into simpler forms, until an equivalent equation of the form x = a, a = a, or a = b results (where a and b are different numbers).</li> <li>b. Solve linear equations with rational number coefficients, including equations whose solutions require expanding expressions using the distributive property and collecting like terms.</li> </ul> </li> <li>4. Analyze and solve pairs of simultaneous linear equations. <ul> <li>a. Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because points of intersection satisfy both equations</li> </ul> </li> </ul>		3. Use equations to solve problems using all operations when a part is unknown.
	<ul> <li>simultaneously.</li> <li>b. Solve systems of two linear equations in two variables algebraically, and estimate solutions by graphing the equations. Solve simple cases by inspection. For example, 3x + 2y = 5 and 3x + 2y = 6 have no solution because 3x + 2y cannot simultaneously be 5 and 6.</li> <li>c. Solve real-world and mathematical problems leading to two linear equations in two variables. For example, given coordinates for two pairs of points, determine whether the line through the first pair of points intersects the line through the second pair.</li> </ul>		

NC Extended CCSS Final 20 9/9/2011

		8 <sup>th</sup>	Grade Mather Geometry	natics
		Common Core State Standards	Essence	Extended Common Core
		stand congruence and similarity using physical s, transparencies, or geometry software.	Congruency	Understand congruence using physical models.
Cluster	3 3 4	reflections, and translations:  a. Lines are taken to lines, and line segments to line segments of the same length.  b. Angles are taken to angles of the same measure.  c. Parallel lines are taken to parallel lines.  Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them.  Describe the effect of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates.  Understand that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of rotations, reflections, translations, and dilations; given two similar two-dimensional figures, describe a sequence that exhibits the similarity between them.		1. Describe the attributes of figures: number of faces or edges, equal sizes of sides and number angles. 2. Understand congruence in polygons with different orientations (proximity, position, directions and turns).

NC Extended CCSS Final 21 9/9/2011

	lve real-world and mathematical problems involving blume of cylinders, cones, and spheres.	Measure volume	Solve real-world and mathematical problems involving volume of right rectangular prisms.
Cluster			3. Recognize volume as an attribute of solid figures and understand concepts of volume measurement.  a. A cube with side length 1 unit called a "unit cube" is said to have "one cubic unit" of volume, and can be used to measure volume.  b. Understand volume is the number of cubes used to fill a solid figure without gaps and overlaps.  4. Measure volumes of right rectangular figures by counting unit cubes.

NC Extended CCSS Final 22 9/9/2011

	8 <sup>th</sup> Grade Mathematics Statistics and Probability					
		Common Core State Standards	Essence	Extended Common Core		
Inv	estig	ate patterns of association in bivariate data.	Patterns of	Investigate patterns of association in bivariate data.		
Cluster	2.	Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities. Describe patterns such as clustering, outliers, positive or negative association, linear association, and nonlinear association.  Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line. Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept. For example, in a linear model for a biology experiment, interpret a slope of 1.5 cm/hr as meaning that an additional hour of sunlight each day is associated with an additional 1.5 cm in mature plant height.	association in bivariate data	Describe trends such as positive, negative or no association given a scatter plot.  1. Describe trends such as positive, negative or no association given a scatter plot.		
	4.	Understand that patterns of association can also be seen in bivariate categorical data by displaying frequencies and relative frequencies in a two-way table. Construct and interpret a two-way table summarizing data on two categorical variables collected from the same subjects. Use relative frequencies calculated for rows or columns to describe possible association between the two variables. For example, collect data from students in your class on whether or not they have a curfew on school nights and whether or not they have assigned chores at home. Is there evidence that those who have a curfew also tend to have chores?				

NC Extended CCSS Final 23 9/9/2011